

PROJECT:

Castletroy Wastewater Treatment Plant Upgrade Project

REPORT:

Environmental Impact Assessment Volume 2: Main Report









March 2023



Table of Contents

SECTION 1	:	INTRODUCTION	1-1
	1.1	Project Background	1-1
	1.2	Project Need	1-1
	1.3	Site Description	1-3
	1.4	Overview of the Proposed Development	1-4
	1.5	Overview of the Planning Process	1-5
	1.6	Approach to the EIA	1-6
	1.7	Consultation Undertaken	1-11
	1.8	Difficulties Encountered During the Assessment	1-13
SECTION 2	<u>:</u> :	ALTERNATIVES	2-1
	2.1	Introduction	2-1
	2.2	Do-nothing Scenario	2-1
	2.3	Treatment Location Alternative	2-2
	2.4	Treatment Process Alternatives	2-3
SECTION 3	3:	THE PROPOSED DEVELOPMENT	3-1
	3.1	Introduction	3-1
	3.2	Procurement Strategy	3-2
	3.3	Design Requirements	3-2
	3.4	Design of the Proposed Development	3-6
	3.5	Operation of the Proposed Development	3-28
	3.6	References	3-31
SECTION 4	k:	CONSTRUCTION STRATEGY	4-1
	4.1	Introduction	4-1
	4.2	Approach	4-1
	4.3	Indicative Duration and Phasing	4-2
	4.4	Land Use Requirement	
	4.5	Enabling Works	4-5
	4.6	Indicative Construction Methods	
	4.7	Traffic Management	
	4.8	Site Management	
	4.9	Environmental Management	
	4.10	References	4-19
SECTION 5	5:	PLANNING AND POLICY	5-1
	5.1	Introduction	5-1
	5.2	Strategic Infrastructure Development	
	5.3	European Context	
	5.4	National Legislation, Planning Policy and Guidance	
	5.5	Regional Policy Guidance	
	5.6	Local Policy Guidance	
	5.7	Planning History	
	5.8	Conclusions	
	5.9	References	
SECTION 6:		TRAFFIC AND TRANSPORTATION	
	6.1	Introduction	
	6.2	Assessment Methodology	
	6.3	Receiving Environment	
	6.4	Characteristics of the Proposed Development	6-11





	6.5	Potential Impacts During Construction Phase	
	6.6	Potential Impact During Operational Phase	6-21
	6.7	Mitigation Measures and Monitoring	6-23
	6.8	Residual Effects	6-25
	6.9	Monitoring	6-25
	6.10	References	6-25
SECTION 7	:	ODOUR	7-1
	7.1	Introduction	7-1
	7.2	Assessment Methodology	
	7.3	Baseline Conditions	
	7.4	Characteristics of the Proposed Development	
	7.5	Likely Significant Effects	
	7.6	Mitigation Measures and Monitoring	
	7.7	Residual Effects	
	7.8	References	
OF OTION O			
SECTION 8	:	AIR QUALITY AND CLIMATE	
	8.1	Introduction	_
	8.2	Assessment Methodology	
	8.3	Baseline Conditions	
	8.4	Characteristics of the Proposed Development	
	8.5	Likely Significant Effects	
	8.6	Mitigation Measures and Monitoring	
	8.7	Residual Effects	8-30
	8.8	References	8-30
SECTION 9	:	NOISE AND VIBRATION	9-1
	9.1	Introduction	9-1
	9.2	Assessment Methodology	9-10
	9.3	Baseline Conditions	9-12
	9.4	Characteristics of the Proposed Development	9-14
	9.5	Likely Significant Effects	9-15
	9.6	Mitigation Measures and Monitoring	9-23
	9.7	Residual Effects	9-25
	9.8	References	9-25
SECTION 1	0:	ARCHAEOLOGY, ARCHITECTURAL AND CULTURAL HERITAGE	10-1
	10.1	Introduction	10-1
	10.2	Assessment Methodology	
	10.3	Baseline Conditions	
	10.4	Characteristics of the Proposed Development	
	10.5	Likely Significant Effects	
	10.6	Mitigation Measures and Monitoring	
	10.7	Residual Effects	
	10.8	References	
SECTION 1	1:	BIODIVERSITY	
	11.1	Introduction	11_1
		Assessment Methodology	
	11.2	Baseline Conditions	
	11.4	Likely Significant Effects	
	11.5	Mitigation Measures and Monitoring	
	11.6	Residual Effects	
	11.7	Conclusion	
		References	
OFOTION 1			
SECTION 1	Z :	LANDSCAPE AND VISUAL	12-1





12.1	Introduction	
12.2	Assessment Methodology	
12.3	Baseline Conditions	
12.4	Characteristics of the Proposed Development	
12.5	Likely Significant Effects	
12.6	Mitigation Measures and Monitoring	
12.7	Residual Effects	
12.8	References	12-31
SECTION 13:	LAND AND SOIL	13-1
13.1	Introduction	13-1
13.2	Assessment Methodology	13-1
13.3	Baseline Conditions	13-7
13.4	Direct and Indirect Site Investigation and Studies	13-11
13.5	Likely Significant Effects	13-13
13.6	Mitigation Measures and Monitoring	13-17
13.7	Residual Effects	13-19
13.8	References	13-19
SECTION 14:	WATER	14-1
14.1	Introduction	14-1
	Assessment Methodology	
14.3	Study Area	
14.4	Baseline Conditions	
14.5	Characteristics of the Proposed Development	
14.6	Likely Significant Effects	
14.7	Mitigation Measures and Monitoring	
14.8	Monitoring	
14.9	Residual Impacts	
14.10	Cumulative Impacts	
	References	
SECTION 15:	RESOURCE AND WASTE MANAGEMENT	15-1
15.1	Introduction	15-1
15.2	Assessment Methodology	
15.3	Baseline Conditions	
15.4	Characteristics of the Proposed Development	
15.5	Likely Significant Effects	
15.6	Mitigation Measures and Monitoring	
15.7	Residual Effects	
15.8	Cumulative Impacts	
15.9	References	
SECTION 16:	MATERIAL ASSETS	
16.1	Introduction	
16.2	Assessment Methodology	
16.3	Baseline Conditions	
16.4	Likely Significant Effects	
16.5	Mitigation Measures and Monitoring	
16.6	Residual Effects	
16.7	References	
SECTION 17:	POPULATION AND HUMAN HEALTH	
17.1	Introduction	
17.2	Assessment Methodology	
17.3	Baseline Conditions	
17.4	Likely Significant Impacts	17-15





17.5	Mitigation Measures and Monitoring
17.6	Residual Effects
17.7	Cumulative Effects
17.8	Difficulties Encountered in Compiling Information
17.9	References
SECTION 18:	MAJOR ACCIDENTS AND NATURAL DISASTERS18-1
18.1	Introduction
18.2	Assessment Methodology
18.3	Baseline Conditions
18.4	Likely Significant Effects
18.5	Mitigation Measures and Monitoring
18.6	Residual Effects
18.7	References
SECTION 19:	CUMULATIVE EFFECTS AND INTERACTIONS19-1
19.1	Introduction
19.2	Assessment Methodology
19.3	Interactive Effects
19.4	Cumulative Effects 19-8
SECTION 20:	SUMMARY OF MITIGATION AND MONITORING20-1
20.2	References 20-24





List of Figures

Figure 1.1: Castletroy WwTP Agglomeration Catchment Area	1-2
Figure 1.2: Castletroy WwTP Site Location	1-3
Figure 1.3: Castletroy WwTP Existing Layout	1-4
Figure 2.1: Outline HYBACS Flow Schematic	2-7
Figure 3.1: Process Flow Diagram of Upgraded WwTP	3-7
Figure 3.2: Lifford WwTP CWF Storm Flush Image 1	3-11
Figure 3.3: Lifford WwTP CWF Storm Flush Image 2	3-11
Figure 3.4: HUBER ROTAMAT® RoK2 Design Sketch	3-12
Figure 3.5: HUBER ROTAMAT® RoK2 Photograph	3-12
Figure 3.6: Proposed Area for Stormwater Tank	3-12
Figure 3.7: Revit Model of Proposed Storm Tank And Return Pumping Station	3-13
Figure 3.8: Additional Grit Trap	
Figure 3.9: Example of Proposed Odour Control Unit	3-14
Figure 3.10: Revit model of proposed primary filter building	3-15
Figure 3.11: Example of IFAS frames and textile curtains (courtesy of Eliquo Hydrok, Appendix 2A).	3-18
Figure 3.12: Revit Model of Upgraded Aeration Tanks with IFAS System	
Figure 3.13: Solids Flux Curve at operating MLSS of 3,500mg/l and SVI 90 ml/g	3-20
Figure 3.14: Revit model of upgraded clarifiers	3-20
Figure 3.15: Stamford Baffle	
Figure 3.16: McKinney Baffle	3-21
Figure 3.17: 2 no. 20m³ tanks installed at Bunlicky WwTP (courtesy – Silotank)	3-22
Figure 3.18: Required Centrifuge Dimensions	
Figure 3.19: Enniscorthy WwTP Dewatered Sludge Storage	
Figure 3.20: Bunlicky WwTP Dewatered Sludge Storage	3-23
Figure 3.21: Suggested installation and larger skips c/w cover for odour control	3-24
Figure 3.22: Submersible Pump Example (Bedford Pumps)	
Figure 3.23: Revit 3D Model of Flood Event Pumping Station	
Figure 3.24: StormTech Storm Storage Tank	
Figure 3.25: StormCell Storm Storage System	
Figure 4.1: Cofferdam Shoring System	
Figure 4.2: CFA Piling Sequence Illustration	
Figure 5.1: NPF National Strategic Outcomes	5-6
Figure 6.1: Site Location Plan	
Figure 6.2: Limerick City and County Council Access Road	6-4
Figure 6.3: Dublin Road	6-4
Figure 6.4: Plassey Park Road	6-5
Figure 6.5: Location of the Site and Surveyed Junctions	6-5
Figure 6.6: 2022 Baseline Year (AM Peak Hour Traffic Flows)	6-7
Figure 6.7: 2022 Baseline Year (PM Peak Hour Traffic Flows)	
Figure 6.8: Identified Haul Routes to/ from the Site during Construction Phase	
Figure 6.9: 2026 Design Year (AM Peak Hour Traffic Flows) during Construction Phase	16
Figure 6.10: 2026 Design Year (PM Peak Hour Traffic Flows) during Construction Phase	
Figure 7.1: Meteorological data from the Shannon Meteorological Station (2019-2021)	7-7
Figure 7.2: Nearest Sensitive Residential Receptor Locations to the Proposed Development	7-12
Figure 7.3: Existing Castletroy WwTP - Predicted Worst-Case 98th Percentile of Hourly Average	e Odour
Concentrations 2021.	7-16
Figure 7.4: Proposed Development to Castletroy WwTP - Predicted Worst-Case 98th Percentile o	f Hourly
Average Odour Concentrations 2021	_
Figure 8.1: Nearest Sensitive Receptor Locations to the Proposed Development	
Figure 8.2: EPA Air Quality Stations, Limerick City (Source: EPA 2022)	
Figure 8.3: National Total GHG Emissions (excluding LULUCF) 1990 - 2020	8-12
Figure 8.4: Total Emissions from Waste by Sector. 1990-2020	8-13





Figure 9.1: Extract from EPA Guidance Note for Noise: Licence Applications, Surveys and Assertation to Scheduled Activities (NG4) - Steps to be Followed in Order to Derive Appropriate Criteria (Ref. EPA Guidance Note (NG4) (EPA 2016))	Noise Limit
Figure 9.2: Nearest Sensitive Residential Receptor Locations to the Proposed Development ar	nd Baseline
Noise Monitoring Locations (NML).	
Figure 9.3: Noise Monitoring Locations in Proximity to the Main Noise Sources on the Existing WwTP Site to Allow for Accurate Noise Prediction Model Validation	•
Figure 10.1: Location of the site in relation to Recorded Monuments; Protected Structures; NIAH	
Architectural Conservation Area; Mill Race and previous excavations	
Figure 10.2: Approximate site location on The Down Survey Map of 1656.	
Figure 10.3: Extract from 1st Edition Ordnance Survey (OS) map (surveyed in 1839 -publis	
showing location of site.	
Figure 10.4: Extract from 3rd Edition Ordnance Survey (OS) map (surveyed in 1900 -publis	
showing location of site.	
Figure 10.5: Aerial view, showing location of site.	
Figure 10.6: Location of the proposed stormwater storage tank, facing north.	
Figure 10.7: Location of the proposed storm tank facing north	
Figure 10.8: North extent of the site, view towards Plassy Mills, facing east	
Figure 11.1: Nationally Designated Sites. (Full map in Appendix 11A, Fig 11-1)	
Figure 11.2: Grid Square R65 in relation to Castletroy WwTP (yellow dot)	
https://maps.biodiversityireland.ie/Map	
Figure 11.3: WwTP infrastructure classified as buildings and artificial surfaces (BL3) and asso	
stand areas of (BL3)/spoil and bare ground (ED2)/recolonising bare ground (ED3). Grassland c	
amenity grassland (GA2).	
Figure 11.4: Scattered trees and parkland (WD5) in the centre of the site.	
Figure 11.5: Drainage ditch (FW4), dry at the time of the surveys, outside of the eastern boundar	
Figure 11.6: Public river walkway separating the WwTP from the Lower River Shannon and	
woodland.	
Figure 11.7: Infestation of Giant Hogweed along the north-western boundary	
Figure 11.8: Infestation to the northwest of the site adjacent to the existing final effluent and s	
chamber.	
Figure 11.9: Habitat Map. (See Appendix 11A, Figure 11-10 for full diagram)	
Figure 11.10: Otter survey extent. Full map in Appendix 11A, Figure 11-14	
Figure 11.11: Badger commuting routes. Full map in Appendix 11A, Fig 11-15	
Figure 11.12: Current lighting situation at Castletroy WwTP	
Figure 11.14: Badger Protective Barrier	
Figure 11.15: Badger Sett Buffer Zones Overlay (See full diagram in Appendix 11A, Figure 11-20	
Figure 11.16 : Proposed Lighting Layout Plan	,
Figure 11.17: Existing Lighting on Buildings	
Figure 11.19: Existing Lighting Around Infrastructure	
Figure 11.19. Existing Eighting Around infrastructure	
Figure 12.1: Viewpoint locations	
Figure 12.2: VP1, view from public footpath looking east towards the Proposed Development	
Figure 12.3: VP2, view from the riverside walk looking southeast into the existing site	
Figure 12.4: VP3, view from public footpath near Plassey's Mill, looking southwest into the existing site	
the location of the Proposed Development.	
Figure 12.5: VP4, from the riverside walk, looking southwest towards the Proposed Developmen	
Figure 12.6: VP5, view from the University Bridge, looking southwest over the Lower River Shanr	
the Proposed Development.	
Figure 12.7: VP6, view from the public footpath on the north bank of the Lower River Shannon, lo	
towards the Proposed Development.	•
· · - p = - · · p · · · - · · · · · · · · · ·	








Figure 12.8: VP7, view from the footpath opposite Drumroe Student Village, looking west towal	
Proposed Development	
Figure 12.9: VP8, view from College Court, looking north towards the Proposed Development	
Figure 12.10: VP9, view from Castletroy Travelodge Hotel, looking over the open ground of the	
Wedge towards the Proposed Development	
Figure 12.11: VP10, view from the public footpath on Grove Island over the Lower River Shannon,	looking
east towards the Proposed Development.	
Figure 12.12: Zone of Theoretical Visibility	12-13
Figure 12.13: LVIA receptor groups	12-30
Figure 13.1: Site Location Plan	13-7
Figure 13.2: Ground Investigation Layout Plan	13-12
Figure 14.1: Classification of Significance of Effects, EIAR Guidelines (2022)	14-2
Figure 14.2: Castletroy WwTP and Discharge Point Location	14-4
Figure 14.3: Overview of the Hydrological Environment	14-5
Figure 14.4: WwTP Outfall Arrangement	14-6
Figure 14.5 Diffuser Arrangement	14-6
Figure 14.6 : Location of UL Boat Club relative to Castletroy WwTP	14-7
Figure 14.7: Layout of Surrounding Watercourses (image courtesy of EPA Maps)	14-12
Figure 14.8: Water Quality Monitoring Locations (image courtesy of Google Earth)	14-13
Figure 14.9: Upstream and downstream concentrations of BOD relative to EQS values	14-14
Figure 14.10: Upstream and downstream concentrations of Ammonia relative to EQS values	14-14
Figure 14.11: Upstream and downstream concentrations of ortho- Phosphate relative to EQS values	14-15
Figure 14.12: Flood Depth Map (1% AEP) with Proposed Infrastructure	14-21
Figure 15.1: Waste Hierarchy	15-1
Figure 15.2: Composition of C&D Waste generated in Ireland, 2019 (Source: EPA)	15-2
Figure 16.1: Utilities in vicinity of Proposed Development	16-2
Figure 17.1: Potential Impacts identified in Scoping Document	17-1
Figure 17.2: Study Area within Wider Hinterland	17-3
Figure 17.3: % Temp. Unoccupied Dwellings 2016 Census	17-5
Figure 17.4: Unemployment Rates by Small Areas 2016 Census	17-8
Figure 17.5: Percentage of Resident Workers' Jobs by Sector (2016 Census)	17-9
Figure 17.6: Percentage of Local Jobs by Sector (2016 Census)	17-10
Figure 17.7: Pobal Deprivation Index (2016 Census)	17-12
Figure 17.8: Population Density by Small Areas (2016 Census)	17-13
Figure 17.9: Clare County Zoning and Limerick Zoning	17-14
Figure 18.1: Risk Classification Table - Likelihood (Source DoEHLG ⁷)	18-6
Figure 18.2: Risk Classification Table – Consequence (Source DoEHLG ⁷)	18-7





List of Tables

Table 1.1: Prescribed Bodies List Provided by An Board Pleanala	1-11
Table 1.2: Responses Received During the Consultation Process	1-13
Table 2.1: Upgrade Options for the Proposed Development	2-2
Table 3.1: Design PE +10-year Loading Projections (Domestic, Commercial, and Institutional)	3-3
Table 3.2: Design PE +25-year Loading Projections (Domestic, Commercial, and Institutional)	3-3
Table 3.3: Committed Allowances as per Existing IPC (Industrial) Licences	3-4
Table 3.4: Design PE +10-year Loading Projections Summary	3-4
Table 3.5 :Average Daily +10-Year Organic Loading Projections	3-5
Table 3.6: Design PE +25-year PE Loading Projections Summary	3-5
Table 3.7: Average Daily +25-Year Organic Loading Projections	3-5
Table 3.8: Design Hydraulic Loading Projections (Domestic, Commercial, and Institutional)	3-6
Table 3.9: Design Hydraulic Loading Projections (Industrial)	3-6
Table 3.10: Hydraulic Loading Projections Summary	3-6
Table 3.11: Summary of Formula A Flows	3-8
Table 3.12: Storm Pump Replacement	3-9
Table 3.13: Formula A and Storm Tank Sizing	3-9
Table 3.14: CFRAM fluvial mapping water levels	3-24
Table 4.1: Estimated Bulk Materials Quantities and Management during Construction	4-18
Table 5.1:Extract from Table 2.1 of the National Planning Framework	5-6
Table 5.2: Call Off 8 – Limerick Projects	5-12
Table 6.1: 2022 Baseline Year Junction Capacity Analysis for Junction 1	6-9
Table 6.2: 2022 Baseline Year Junction Capacity Analysis for Junction 2	6-9
Table 6.3: 2022 Baseline Year Junction Capacity Analysis for Junction 3	6-10
Table 6.4: 2022 Baseline Year Junction Capacity Analysis for Junction 4	6-10
Table 6.5: 2022 Baseline Year Junction Capacity Analysis for Junction 5	6-10
Table 6.6: 2022 Baseline Year Junction Capacity Analysis for Junction 6	6-11
Table 6.7: Total Trip Generation During Construction	6-12
Table 6.8: AM Peak Trip Generation During Construction	6-13
Table 6.9: Trip Distribution (Generation) at Junction 1	6-14
Table 6.10: Trip Distribution (Attraction)	6-15
Table 6.11: 2026 Design Year Junction Capacity Analysis for Junction 1	6-18
Table 6.12: 2026 Design Year Junction Capacity Analysis for Junction 2	6-18
Table 6.13: 2026 Design Year Junction Capacity Analysis for Junction 3	6-19
Table 6.14: 2026 Design Year Junction Capacity Analysis for Junction 4	6-19
Table 6.15: 2026 Design Year Junction Capacity Analysis for Junction 5	6-20
Table 6.16: 2026 Design Year Junction Capacity Analysis for Junction 6	6-21
Table 6.17: Total Trip Generation During Operational Phase	6-22
Table 6.18: Development AM Peak Hour Trip Generation as a Percentage of Existing Road Network	k Traffic
Flow	6-22
Table 6.19: Development PM Peak Hour Trip Generation as a Percentage of Existing Road Network	k Traffic
Flow	6-23
Table 7.1: Benchmark Odour Criteria (Extracted from Table 5 from 2018 IAQM Odour Guidance)	7-3
Table 7.2: Proposed Odour Effect Descriptors for Impacts Predicted by Modelling - "Most Offensive"	Odours
(Table 6 from 2018 IAQM Odour Guidance)	7-4
Table 7.3: Proposed Odour Effect Descriptors for Impacts Predicted by Modelling - "Moderately Of	fensive"
Odours (Table 7 from 2018 IAQM Odour Guidance)	7-5
Table 7.4: Receptor Sensitivity to Odours (Table 2 from 2018 IAQM Odour Guidance)	7-5
Table 7.5: Example Odour Emission Rates for WwTP Sources (Source; NI Water)	7-8
Table 7.6: 'Existing' odour sources and odour emission rates - Odour Emission Rates from the Main	Sources
Identified During the Course of the Baseline Survey on the Existing Castletroy WwTP.	7-9
Table 7.7: 'Proposed' odour sources and odour emission rates - Odour Emission Rates from the	ne Main
Sources after the Proposed Development	7-9





Table 7.8: Odour Control Unit Specifications	7-10
Table 7.9: Nearest Sensitive Residential Receptor Locations to the Castletroy WwTP	7-10
Table 7.10: Predicted Worst-Case 98th Percentile of Hourly Average Odour Concentrations for 20)19 – 2021,
at the nearest Sensitive Residential Properties (SR1 - SR15) and the receptor locations (R	16 - R19)
Including 'Odour Effect Descriptor' in Accordance with IAQM	7-15
Table 7.11: Summary of Predicted Operational Phase Impacts	7-18
Table 8.1: Limit Values of Air Quality Standards Regulations 2011 (S.I. No. 180 of 2011) & CAF	E Directive
2008/50/EC	8-4
Table 8.2: Alert Thresholds for Sulphur Dioxide & Nitrogen Dioxide (the Public Must be Infor	med if the
Following Thresholds are Exceeded for Three Consecutive Hours)	8-5
Table 8.3: Target Values of Directive 2004/107/EC	8-5
Table 8.4: Target Values for Ozone from 2010	8-5
Table 8.5: Long Term Objectives for Ozone from 2020	8-5
Table 8.6: Information and Alert Thresholds for Ozone (the Public Must be Informed if Ozone Lev	els Exceed
the Following Thresholds)	8-5
Table 8.7: Impact Descriptors for Individual Receptors	8-6
Table 8.8: Nearest Sensitive Receptor Locations to the Castletroy WwTP	8-9
Table 8.9: Air Quality Levels at Henry Street and Castletroy Stations, Limerick City (May 2021 -	
	8-11
Table 8.10: Fluvial Flood Levels at the Site	8-14
Table 8.11: Summary of Met Éireann meteorological data at Shannon Airport, recorded for the 30-	
from 1981 to 2010	8-15
Table 8.12: Criteria Used in the Determination of Dust Emission Class	8-18
Table 8.13: Criteria for Determining Sensitivity of Receptors	8-20
Table 8.14: Sensitivity of the Area to Dust Soiling Effects on People and Property	8-21
Table 8.15: Sensitivity of the Area to Human Health Impacts	8-21
Table 8.16: Sensitivity of the Area to Ecological Impacts	8-22
Table 8.17: Cumulative Number of Sensitive Receptors within 20m, 50m, 100m, 200m and 350m	
Table 6.11. Gamalauve Hambel of Gollelave Hossiptore Maint 2011, 6611, 16611, 26611 and 66611	8-22
Table 8.18: Outcome of Defining the Sensitivity of the Area	8-23
Table 8.19: Summary Dust Risk to Define Site-Specific Mitigation	8-23
Table 8.20: Summary of Significance of Impact including Site-Specific Mitigation	8-24
Table 8.21: Summary of Predicted Construction Phase Impacts	8-24
Table 8.22: Greenhouse Gas Emissions Associated with the Construction of the Proposed Devel	
25	opinioni o
Table 8.23: Extract from EPUK / IAQM Guidance 2017: Indicative Criteria for Requiring an	Air Quality
Assessment	8-26
Table 8.24: Summary of Predicted Operational Phase Impacts	8-26
Table 9.1: Noise Limit Criteria to be Applied Depending on the Results of the Screening Processe	
Table 9.2: Guideline Values for Community Noise in Specific Environments (WHO 1999)	9-5
Table 9.3: Impact from the Change in Sound Levels (IEMA 2014)	9-5
Table 9.4: Noise Effects Descriptors (IEMA 2014)	9-6
Table 9.5: Relationship Between Noise Impact, Effect and Significance (IEMA 2014)	9-6
Table 9.6: Modelling Parameters, Sources and Assumptions	9-11
Table 9.7: Nearest Sensitive Residential Receptor Locations to the Proposed Development	9-11
Table 9.8: Quiet Area Screening of the Development Location - Step 1	9-12
Table 9.9: Results of the Baseline Noise Survey	9-12
Table 9.9. Results of the Baseline Noise Survey Table 9.10: Recommended Operational Noise Limits (Based on EPA Guidance (EPA 2016))	9-13 9-14
Table 9.11: Construction Noise Threshold Levels Based on the BS 5228 'ABC' Method	9-14 9-15
Table 9.11: Construction Noise Threshold Levels based on the BS 5226 ABC Method Table 9.12: Typical Noise Levels During Different Construction Processes as Referenced from	
1:2009+A1:2014	9-16
Table 9.13: Worst-Case Sound Power Level from Construction Works Likely to Take Place Construction Phase of Proposed Development (Ref. BS 5228)	During the
	9-1/





Table 9.14: Predicted Worst-Case Construction Noise Levels Due to Plant and Equipment Noise	e Levels as
Outlined in BS5228(See CadnaA Output in Appendix 9A Figure 9.3)	9-18
Table 9.15: Summary of Predicted Construction Phase Impacts	9-19
Table 9.16: Measured Noise Level in Proximity to Main Noise Sources on the Existing Castletroy	WwTP and
Noise Prediction Model Calibration(Appendix 9A, Figure 9.3)	9-19
Table 9.17: Predicted Worst-Case 1-Hour Noise Levels at Sensitive Receptor Locations when or	perating the
upgraded plant (See CadnaA Output Appendix 9A Figure 9.6 & Figure 9.7)	9-21
Table 9.18: BS 4142 Assessment of the Predicted Specific Noise Levels from Existing Castletroy	WwTP Site
and the Proposed Development at SR 3, During Daytime and Night-Time	9-22
Table 9.19: Summary of Predicted Operational Phase Impacts	9-23
Table 9.20: Summary of Predicted Construction Phase Impacts Following the Implementation of	f Mitigation
and Monitoring Measures	9-24
Table 9.21: Summary of Predicted Operational Phase Impacts Following the Implementation of	f Mitigation
and Monitoring Measures	9-25
Table 10.1: Record of Monuments and Places (RMP) and Sites and Monuments Record (SMR)	10-9
Table 10.2: Protected Structures and National Inventory of Architectural Heritage (NIAH)	10-11
Table 10.3: List of Wrecks	10-12
Table 10.4: Previous archaeological investigations within and in the environs of the study area	10-14
Table 11.1: Criteria for determining significance of effect, based on (EPA, 2017) guidelines.	11-6
Table 11.2: Nationally Designated Sites.	11-8
Table 11.3: Records of species listed under the Flora (Protection) Order 2022 or the Irish Red Da	ita Book for
Vascular Plants.	11-11
Table 11.4: NBDC records for protected flora/ fauna records (excl. birds) for hectad R65	11-12
Table 11.5: NBDC records for Invasive species for hectad R65.	11-13
Table 11.6: NBDC Records for Birds for hectad R65	11-13
Table 11.7: Records for rare and protected species, NPWS.	11-15
Table 11.8: Lower River Shannon WFD Waterbody Status Attributes	11-16
Table 11.9: EQS Concentration Limitations (High Status)	11-17
Table 11.10: Baseline Water Quality Monitoring Results (2019-2022)	11-17
Table 11.11: U/s and d/s WAC Figures	11-18
Table 11.12: High Status EQS Concentration Limits	11-34
Table 11.13: Predicted D/s Concentrations using Existing ELVs	11-34
Table 11.14: Predicted D/s Concentrations using Proposed ELVs	11-34
Table 11.15: Predicted WAC using Existing ELVs	11-35
Table 11.16: Predicted WAC using proposed ELV's	11-35
Table 11.17: DAP Model Outputs - Current Vs. Future Scenario (Spill≥1m3)	11-36
Table 11.18: Biodiversity Units Calculation - Pre-Development	11-39
Table 11.19: Biodiversity Units Calculation - Post-Development	11-39
Table 11.20: Qualitative Assessment of Biodiversity Measures	11-40
Table 12.1: Significance of Landscape and Visual effects based on Magnitude and Sensitivity	12-3
Table 12.2: Impact Classification Terminology taken from Environmental Protection Agency (Au	-
Guidelines on the Information to be Contained in Environmental Impact Assessment Reports2	12-5
Table 13.1: Criteria Rating for Attribute Importance – Soils and Geology, and Hydrogeology (NRA	4, 2009)13-
4	
Table 13.2: Rating Criteria for Estimation Magnitude of Impact on Geological and Hydrogeological	
(NRA, 2009)	13-5
Table 13.3: Rating Significance of Impacts (NRA, 2009)	13-6
Table 13.4: GSI Groundwater Well Data	13-9
Table 13.5: GSI Vulnerability Mapping Guidelines	13-10
Table 13.6: Initial Assessment of Attribute Importance.	13-11
Table 13.7: 2021 Ground Investigation Summary	13-11
Table 13.8: Summary of Impacts on Geological Attributes	13-14
Table 14.1: WFD Q Values	14-2
Table 14.2: Environmental Quality Standards (EQS)	14-3





Table 14.3: Castletroy WwTP Emission Limit Values (ELVs)	14-8
Table 14.4: WwTP Annual Mean Effluent Monitoring Results (2019-2021)	14-9
Table 14.5: Castletroy WwTP Specified Improvement Programme (SIP)	14-9
Table 14.6: Theoretical Hydraulic Loading to the WwTP	14-10
Table 14.7: Measured Dry Weather Flow (DWF)	14-10
Table 14.8: Mulkear River Discharge (Q) Rates	14-11
Table 14.9: Dilution Rates	14-11
Table 14.10: Lower River Shannon WFD Waterbody Status Attributes	14-12
Table 14.11: High Status EQS	14-15
Table 14.12: Baseline Water Quality Monitoring Results (2019-2022)	14-15
Table 14.13 Theoretical Calculations of Downstream Concentrations	14-16
Table 14.14: Calculated WAC figures using Measured Concentrations	14-16
Table 14.15: Calculated U/s and D/s WAC figures Using Max ELV Output	14-17
Table 14.16: Baseline Model Output (Spill≥1m3)	14-18
Table 14.17: Stormtank Design Calculations	14-20
Table 14.18: Future Average Daily Flow (ADF) Calculations	14-24
Table 14.19: High Status EQS Concentration Limits	14-24
Table 14.20: Predicted D/s Concentrations using Existing ELVs	14-25
Table 14.21: Predicted D/s Concentrations using Proposed ELVs	14-25
Table 14.22: Predicted WAC using Existing ELVs	14-25
Table 14.23: Predicted WAC using Revised ELVs	14-25
Table 14.24: Model Outputs - Current V's Future Scenario (Spill≥1m³)	14-26
Table 15.1: Estimated Bulk Materials Quantities and Management during Construction	15-8
Table 16.1: Significance criteria for likely significant effects on material assets	16-1
Table 17.1: Electoral Division Population 1996 – 2016 Census	17-4
Table 17.2: % Students in Population Aged 15 and Over - 2016 Census	17-5
Table 17.3: % Temp. Unoccupied Dwellings 2016 Census	17-6
Table 17.4: Age Profile of Residents 2016 Census	17-6
Table 17.5: Commuting Mode of Resident Workers, Students and Local Jobholders (aged over	r 5 years) 2016
Census	17-11
Table 17.6: Summary of Construction Impacts	17-18
Table 17.7: Summary of Operational Impacts	17-21
Table 18.1: Risk Matrix (Source DoEHLG ⁷)	18-8
Table 18.2: Risk Register- Construction	18-9
Table 18.3: Risk Register- Operation	18-9
Table 18.4: Risk Assessment	18-11
Table 18.5: Risk Scores	18-19
Table 18.6: Risk Matrix	18-19
Table 19.1: Interactive effects during construction	19-5
Table 19.2: Interactive effects during operation	19-6
Table 19.3: Schedule of developments considered for cumulative effects	19-9
Table 20.1:Summary of Mitigation Measures	20-3
Table 20.2: Summary of Monitoring Requirements	20-19





AEP

Acronym/Term

Glossary and Defined Terms

μg Microgram °C Degrees Celsius

AA Appropriate Assessment

AADT Annual Average Daily Traffic-the total volume of vehicle traffic of a motorway or

road for a year divided by 365days

ABP An Bord Pleanála

ACA Architectural Conservation Area

Description

AERMOD Model Atmospheric dispersion model / Odour Dispersion Model -an advanced dispersion

model based on the Gaussian theory of plume dispersion

Annual Exceedance Probability -the probability (expressed as a percentage) of a flood occurring in any given year that is equal to or more severe than a given

mood occurring in any given year that is equal to or more seven

magnitude or severity

AER Annual Environmental Report
AGS Aerobic Granular Sludge

am / AM Before midday

AQS Air Quality Standards

Archaeological Heritage the term 'Archaeological Heritage' is applied to objects, monuments, buildings or landscapes of an (assumed) ag typically older that AD 1700 (and recorded as

archaeological sites within the record of Monuments and Places)

The term 'architectural heritage' is applied to structures, buildings, their contents

Architectural
Architectural
Heritage
Architectural
Heritage
Architectural
Heritage
Architectural

intended meaning and are used interchangeably.

Baseline Refers to existing conditions as represented by latest available survey and other

data

Birds Directive Council Directive 79/409/EECas amended by Council Directive 2009/147/EC on

the conservation of wild birds

BOD Biochemical Oxygen Demand
BPIP Building Profile Input Program

BS British Standard

BSI British Standard Institution
CAFÉ Clean Air for Europe Directive

c. circa (approximately)

C&D Construction and Demolition

CBOD Carbonaceous Biological Oxygen Demand
CEMP Construction Environmental Management Plan
CESSM Civil Engineering Standard Method of Measurement

CFA Continuous Flight Auger

CFRAM Catchment Flood Risk Assessment and Management
CIRIA Construction Industry Research and Information Association
CIWEM Chartered Institution of Water and Environmental Management

Co. County

COD Chemical Oxygen Demand- The amount of oxygen consumed by reactors in a

measured solution (that can be used to quantify organics in water)

Cofferdam A temporary watertight structure to enclose an area underwater that is pumped dry

to allow construction work to be carried out





COMAH Control of Major Accidents Hazards involving Dangerous Substances

COSHH Control of Substances Hazardous to Health

County

Development Plan

Cultural Heritage

Decibel (dB)

Limerick County Development Plan

'Cultural Heritage' where used generically, is an over-arching term applied to describe any combination of archaeological, architectural and cultural heritage features. The term 'cultural heritage', where used specifically, is applied to other (often less tangible) aspects of the landscape such as historical event, folklore memories and cultural associations. This designation can also accompany an archaeological or architectural designation or describe features that have a more

recent origin, but retain cultural heritage significance.

The ratio of sound pressures, which we can hear, is a ratio of 106 (one million: one). For convenience, therefore, a logarithmic measurement scale is used. The resulting parameter is called the 'sound pressure level' (Lp) and the associated measurement unit is the decibel (dB). As the decibel is a logarithmic ratio, the laws

of logarithmic addition and subtraction apply.

DIN Dissolved Inorganic Nitrogen

Discharge Licence EPA Wastewater Discharge Licence for the WwTP.

DN Do Nothing

DO Dissolved Oxygen

DoEHLG Department of the Environmental Heritage and Local Government

DoELG Department of the Environment and Local Government. The Department is now

the Department of Housing, Planning and Local Government

DS Downstream
DWF Dry Weather Flow
EC European Commission

EEC European Economic Community
EIA Environmental Impact Assessment

EIAR Environmental Impact Assessment Report

The EIA Directive Council Directive 2014/52/EU on the assessment of certain public and private

projects on the environment

EIS Environmental Impact Assessment

ELV Emission Limit Value

EPA Environmental Protection Agency
EPR Environmental Permitting Regulations

ESB Electrical Supply Board
ETS Emission Trading Scheme

Estuary Transitional area at the mouth of a river between freshwater and coastal waters.

EU European Union

The Natura 2000 site network, i.e. Special Areas of Conservation -(including candidate SACs) protected under the provisions of the Habitats Directive and Special Protection Area -(including proposed SPAs) protected under the provisions

of the Birds Directive

FFT Full Flow to Treatment

Fluvial Relating to a river, i.e. fluvial flow is the flow of freshwater

FSR Flood Studies Report FST Final Settling Tank

GDSDS Greater Dublin Strategic Drainage Study

GE General Electric
GHG Greenhouse Gas



European

designated site



GI Ground Investigation

GIS Geographical Information System
GSI Geological Survey of Ireland

ha Hectare

An area or natural environment formed of physical factors such as soil and

Habitat moisture that reside in a defined topographical area in which organisms (fauna and

flora) normally live.

Habitat Directive Council Directive 92/43/EECon the conservation of natural habitats and of wild

fauna and flora

HDPE High Density Polyethylene HGV Heavy Goods Vehicle

Hz Hertz

IAQM Institute of Air Quality Management

IEL Industrial Emission Licence
IE Intestinal Enterococci

IEMA Institute of Environment Management
IFAS Integrated Fixed-Film Activated Sludge

IROPI Imperative Reasons for Overriding Public Interest

ISO International Standards Organisation

ITM Irish Transverse Mercator

IW Irish Water acronym still used on documents that precede change of entity to

Uisce Éireann

JBA Jeremy Benn Associates

JBB J. B. Barry and Partners

LCA Landscape Character Area

LA10 Sound level that is exceeded for 10% of the sample period LAeq Equivalent continuous A-weighted sound pressure level

LAegT The equivalent continuous sound level. It is an average and is used to describe a

fluctuating noise in terms of a single noise level over the sample period (T)

Lg Local sand and gravel aquifer

LI Local Zones LV Light Vehicles

m metres

mOD metres Above Ordnance Datum

MBR Membrane Bioreactors

This is defined as measures which avoid or reduce environmental effects which

are not included in the design of the proposed development or otherwise included

'up front' in the scheme description (such as the CoCP)

Mt Million tonnes

NHA National Heritage Area

NIAH National Inventory of Architectural Heritage

NIS Natura Impact Statement

NPF National Planning Framework

NPWS National Park and Wildlife Services

NSO National Strategic Outcomes NSS National Spatial Strategy

NWSMP National Wastewater Sludge Management Plan

OCU Odour Control Unit
OD Ordnance Datum



Mitigation



PΕ

OHSAS Occupational Health and Safety Assessment Series

OMP Odour Management Plan
OPW Office of Public Works

OSEMP Operational Stage Environmental Management Plan

OSI Ordnance Survey Ireland

Passenger car units—One car is considered as a single passenger car unit (1 PCU PCU), a motorcycle is considered as half a car unit (0.5 PCU). Buses and trucks

(due to their large size) is considered equivalent to 3 cars (3 PCUs).

Population Equivalent: The amount of wastewater received at a treatment plant (and its design capacity) is measured in units known as population equivalent (or

PE). The wastewater received from all sources, e.g. industrial, tourism,

commercial, residential, etc., is converted into these units, with one unit of PE representing the wastewater treatment load typically generated by a single person.

PFT Picket Fence Thickener

Planning Boundary

The boundary for planning purposes of the project in question, i.e. the red line

boundary

PM Particulate Matter

PM10 Particulate Matter < 10 µm PM2.5 Particulate Matter < 2.5 µm

Proposed development

The proposed Wastewater Treatment Plant and associated infrastructure including the interceptor sewer network, marine outfalls, upgrade to the revetment, Alps

development combined sewer overflow and stormwater storage tank.

PS Pump Station

RAS Return Activated Sludge

RBC Rotating Biological Contractors
RBC River Basin Management Plan

Receptor

Something that could be adversely affected by the proposed development, such as

people, an ecological system, property, water bodyor social infrastructure.

RFC Ratio of flow to Capacity
RPO Regional Policy Objective

RPS Records of Protected Structures

RSES Regional Spatial and Economic Strategy

SAC Special Area of Conservation
SAS Surplus Activated Sludge
SBR Sequencing Batch Reactor

SCADA Supervisory Control And Data Acquisition
Scour Strategic Environmental Assessment

The 'Seveso' Directive applies to around 10,000 industrial establishments across

Europe where dangerous substances are used or stored in large quantities, mainly

in the chemicals, petrochemicals, storage, and metal refining sectors

SI Site Investigation

SID Strategic Infrastructure Development

Site The entire area within the planning boundary for the proposed development

Sludge Solid by-products of wastewater

SPA Special Protection Area
SS Suspended Solids

SUDS Sustainable Drainage System



Seveso



SWO

Stormwater overflow –Relief valves within the network that allow excess combined

storm water to be released to the storm water network, or directly to receiving

waters (including rivers, lakes, estuarine or coastal waters).

T Tonnes

TGN Technical Guidance Note
TII Transport Infrastructure Ireland
TRL Transport Research Laboratory

TSS Total Suspended Solids

TSST Thickened Sludge Storage Tank

Uisce Éireann Ireland's Water Authority, formerly known as Irish Water

UL University of Limerick
WFD Water Framework Directive

Wastewater Discharge Authorisation—Application made to and authorisation received from the EPA to discharge to aquatic environmentas defined under

WWDA Regulation 5 of the Waste Water Discharge Regulations 2007 (i.e. for an

agglomeration with a population equivalent of more than 10,000 in the case of the

proposed development)

WWDL Wastewater Discharge Licence WwTP Wastewater Treatment Plant

WYG White Young Green

ZTV Zone of Theoretical Visibility





Preface

The structure of the Environmental Impact Assessment Report (EIAR) for the proposed Castletroy Wastewater Treatment Plant Upgrade Project (the Proposed Development) is outlined in the preface at the start of each Volume of the EIAR for clarity. The volumes and sub-section titles are summarised as follows:

Volume 1: Non-Technical Summary

Volume 1 provides a non-technical summary of the information contained in Volume 2.

Volume 2: Main Report

Volume 2 contains the main EIA Report. Sections 1 to 5 provide a general introduction, an outline of the EIA and other legislative process, considerations of alternatives, and a description of the Proposed Development.

Sections 6 to 20 describe the environmental impacts, an assessment of potential cumulative effects and interactions, and a summary of mitigation measures specific to the Proposed Development .

Volume 3: Appendices

Volume 3 provides documentation and data that is supplemental to the information provided in Volume 2 of the EIAR.

Volume 4: Drawings

Volume 4 provides project drawings in A3 format that illustrate the information detailed in Volume 2 of the EIAR.

