

AA SCREENING DETERMINATION

Of

Water Network Programme

at

Coosan Point, Athlone, Co. Westmeath

In accordance with Article 6(3) of the EU Habitats Directive (Directive 92/43/EEC) and Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, Irish Water has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the site, if the project, individually or in combination with other plans or projects is likely to have a significant effect on European Site(s).

The Proposed Scheme consists of the installation of approximately 698m of new watermain and all associated assets at Coosan Point, Co. Westmeath.

In this context, particular attention was paid to the European Site(s) listed below:

- 000216 River Shannon Callows SAC
- 000440 Lough Ree SAC
- 004064 Lough Ree SPA
- 004096 Middle Shannon Callows SPA

In accordance with Regulation 42(7) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, **Irish Water has made a determination following screening that an Appropriate Assessment is not required** as the project is not directly connected with or necessary to the management of the sites as European site(s) and **as it can be** <u>excluded</u>, on the basis of objective information and in light of the conservation objectives of the relevant European Site(s), **that the project, individually or in combination with other plans and projects, would have a significant effect on a European Site**.

This determination is based on the nature, location, scale and duration of the proposed works, including any temporary works, and excludes any consideration of mitigation measures.

Full records of the assessment, reports, surveys, consultations, and observations are held by the competent authority and available for public review as requested.

Signed:



JOHN CASEY

CHIEF TECHNICAL ADVISOR

DATE: 27th February 2023